

Art Unit: 3744

Drawings

1. The informal drawings filed on June 13, 2006 are not of sufficient quality to permit examination. In particular, the inappropriate all-black shading of some elements in combination with the uneven/poor line quality of the various reference numbers/reference lines/labels in the figures renders the same generally incomprehensible and/or at the least, difficult to read. Accordingly, replacement drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to this Office action. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action.

Applicant is given a TWO MONTH time period to submit new drawings in compliance with 37 CFR 1.81. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a). Failure to timely submit replacement drawing sheets will result in ABANDONMENT of the application.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ljiljana (Lil) V. Ciric whose telephone number is 571-272-4909. The examiner works a flexible schedule, but can normally be reached weekdays between 10:30 a.m. and 6:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J. Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer

Application/Control Number: 10/582,701

Page 3

Art Unit: 3744

Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ljiljana (Lil) V. Ciric/

Primary Examiner, Art Unit 3744